


Amendments to the Claims:

The following is a complete list of claims indicating the changes incorporated by the present amendment and replacing all prior versions of the claims. Any claims canceled herein and all deletions made in claims that are not canceled herein are done so without prejudice to being re-instituted at a later date in this or a related application.

WHAT IS CLAIMED IS:

Claim 1 (canceled)

Claim 2 (currently amended): A The pharmaceutical composition comprising (a) a complex of (i) a cyclic polyaza chelator having complexing affinity for first transition series elements and (ii) a cation of a member selected from the group consisting of calcium and magnesium and (b) a pharmacologically acceptable carrier, of claim 1 in which said cyclic polyaza chelator is a chelator having the formula




wherein:

m, n, and p are each independently 2 or 3;

q is 1 or 2;

R^2 and R^3 are each independently selected from the group consisting of H, alkyl, alkenyl, aryl, arylalkyl, alkoxy, alkylthio, alkenoxy, alkenylthio, aryloxy, arylthio, alkyl interrupted by oxa, alkenyl interrupted by oxa, alkyl interrupted by thia, alkenyl interrupted by thia, aryloxyalkyl, alkoxyaryl, aminoalkyl, aminoalkenyl, aminoaryl, aminoarylalkyl, hydroxyalkyl, hydroxyalkenyl, hydroxyaryl, hydroxyarylalkyl, and halogen-substituted versions thereof;

R^1 is a member selected from the group consisting of R^2 , R^3 and radicals of the formula:



wherein:


R^{11} , R^{12} , and R^{13} are each independently selected from the group consisting of H, alkyl, alkenyl, aryl, arylalkyl, alkoxy, alkylthio, alkenoxy, alkenylthio, aryloxy, arylthio, alkyl interrupted by oxa, alkenyl interrupted by oxa, alkyl interrupted by thia, alkenyl interrupted by thia, aryloxyalkyl, alkoxyaryl, aminoalkyl, aminoalkenyl, aminoaryl, aminoarylalkyl, hydroxyalkyl, hydroxyalkenyl, hydroxyaryl, hydroxyarylalkyl, and halogen-substituted versions thereof;


R^{14} is a member selected from the group consisting of H, hydroxy, amino, alkyl, alkyl interrupted by oxa, alkoxy, aryl, aryloxyalkyl, alkoxyaryl, alkoxyaryl, and halogen-substituted versions thereof;

r is zero or 1; and

X is a member selected from the group consisting of alkyl, alkenyl, aryl, arylalkyl, alkoxy, alkylthio, alkenoxy, alkenylthio, aryloxy, arylthio, alkyl interrupted by oxa, alkenyl interrupted by oxa, alkyl interrupted by thia,

~~alkenyl interrupted by thia, aryloxyalkyl, alkoxyaryl, aminoalkyl, aminoalkenyl, aminoaryl, aminoarylalkyl, hydroxyalkyl, hydroxyalkenyl, hydroxyaryl, hydroxyarylalkyl, halogen-substituted versions thereof, and radicals selected from the group consisting of:~~





wherein,

~~R¹¹, R¹², R¹³ and R¹⁴ are each independently as defined above;~~

R¹⁶ and R¹⁷ are each independently selected from the group consisting of
H, alkyl and aryl, or taken together form a ring structure;

~~R¹⁸ and R¹⁹ are each independently selected from the group consisting of
H, alkyl, aryl, alkoxy, alkyl interrupted by oxa, aryloxyalkyl,
alkoxyaryl, and halogen-substituted versions thereof;~~

~~R²⁰, R²¹ and R²² are each independently selected from the group consisting
of H, alkyl, alkenyl, aryl, arylalkyl, alkoxy, alkylthio, alkenyloxy,
alkenylthio, aryloxy, aminoalkyl, aminoalkenyl, aminoaryl,
aminoaryalkyl, hydroxyalkyl, hydroxyalkenyl, hydroxyaryl, and
hydroxyaryalkyl; and~~

~~s is an integer of from 1 to 3;~~

and wherein, optionally, any two of R¹, R², and R³ are combined to form a ring structure;
and dimers of Formula I, said dimers being formed by the covalent attachment of two
complexing agents of Formula I through a linking group having from 1 to 6 carbon atoms; and
physiological salts thereof.

Claim 3 (original): The pharmaceutical composition of claim 2 wherein m, n, and p are each 2.

Claim 4 (original): The pharmaceutical composition of claim 2 wherein q is 1.

Claim 5 (original): The pharmaceutical composition of claim 2 wherein said cation is calcium.

Claim 6 (original): The pharmaceutical composition of claim 2 wherein m, n, and p are each 2, q is 1, and said cation is calcium.

Claim 7 (original): The pharmaceutical composition of claim 2 wherein all alkyl are C₁-C₄ alkyl.

Claim 8 (original): The pharmaceutical composition of claim 2 wherein all alkyl are C₁-C₄ alkyl, all alkenyl are vinyl, all aryl are phenyl, all aralkyl are phenethyl or benzyl, all cycloalkyl are cyclopentyl or cyclohexyl, and all halogens are chlorine or fluorine.

Claim 9 (original): The pharmaceutical composition of claim 2 wherein R² and R³ are each independently selected from the group consisting of H, alkyl, alkenyl, aryl, and aralkyl.


Claim 10 (original): The pharmaceutical composition of claim 2 wherein R² and R³ are each independently selected from the group consisting of H and C₁-C₄ alkyl.

Claim 11 (original): The pharmaceutical composition of claim 2 wherein R² and R³ are each H.

Claim 12 (original): The pharmaceutical composition of claim 2 wherein R² and R³ are each H and q is 1.

Claim 13 (canceled)

Claim 14 (currently amended): The pharmaceutical composition of claim 2 wherein q is 1 and
~~q is 1, said cation is calcium, and R⁺ is~~




Claims 15-17 (canceled)

Claim 18 (currently amended): The pharmaceutical composition of claim ~~2~~ ~~17~~ wherein R^{16} and R^{17} are independently selected from the group consisting of H and C_1 - C_4 alkyl.


Claims 19-20 (canceled)

Claim 21 (currently amended): The pharmaceutical composition of claim 2 wherein R^2 and R^3 are each independently selected from the group consisting of H, alkyl, alkenyl, aryl, and aralkyl, and ~~R^+ is a member selected from the group consisting of H, alkyl, alkenyl, aryl, aralkyl, and~~




~~in which~~ R^{11} , R^{12} , and R^{13} are each independently selected from the group consisting of H, alkyl, alkenyl, aryl, and arylalkyl, and R^{14} is a member selected from the group consisting of H, hydroxy, amino, and alkyl.

Claim 22 (currently amended): The pharmaceutical composition of claim 2 wherein ~~R^+ is~~




~~in which~~ R^{11} , R^{12} , and R^{13} are each independently selected from the group consisting of H, alkyl, alkenyl, aryl, and arylalkyl, and R^{14} is a member selected from the group consisting of H, hydroxy, amino, and alkyl.

Claim 23 (currently amended): The pharmaceutical composition of claim 2 wherein:

~~R⁺ is~~

~~in which~~ R¹¹, R¹², and R¹³ are each independently selected from the group consisting of H and C₁-C₄ alkyl, R¹⁴ is a member selected from the group consisting of H and C₁-C₄ alkyl, and ~~X is a member selected from the group consisting of~~



~~in which~~ R¹⁶ and R¹⁷ are each independently H or C₁-C₄ alkyl;


R² and R³ are each independently selected from the group consisting of H and C₁-C₄ alkyl;

m, n, and p are each 2;

q is 1; and

said cation is calcium.

Claim 24 (currently amended): The pharmaceutical composition of claim 2 wherein ~~R⁺ is~~



~~in which~~ R¹¹, R¹², and R¹³ are each independently selected from the group consisting of H and C₁-C₄ alkyl, and R¹⁴ is a member selected from the group consisting of H and C₁-C₄ alkyl.

Claim 25 (original): The pharmaceutical composition of claim 2 wherein R¹ is dihydroxyphosphorylmethyl, R² is H, R³ is H, m is 2, n is 2, p is 2, and q is 1.

Claim 26 (original): The pharmaceutical composition of claim 25 in which said cation is calcium.

Claims 27-32 (canceled)

Claim 33 (currently amended): A method for mitigating ischemia or ischemia-reperfusion injury in a patient that has undergone cardiopulmonary bypass, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim ~~2~~ 1.

Claim 34 (currently amended): A method for mitigating ischemia or ischemia-reperfusion injury in a patient that has undergone vascular surgery, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim ~~2~~ 1.

Claim 35 (currently amended): A method for mitigating ischemia or ischemia-reperfusion injury in transplanted tissue in a patient that has undergone tissue transplant, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim ~~2~~ 1.

Claim 36 (original): A method for providing neuroprotection or cardioprotection in a patient, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 2.

Claim 37 (original): A method for enhancing the biological activity of a cyclic polyaza chelator having complexing affinity for first transition series elements, said method comprising administering said chelator as a pharmaceutical composition of claim 2.

Claim 38 (original): A method for mitigating ischemia or ischemia-reperfusion injury in a patient, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 2.

Claim 39 (original): A method for mitigating damage to the central nervous system of a patient suffering from ischemic stroke, seizure or trauma, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 2.

Claim 40 (original): A method for mitigating damage to the heart of a patient suffering a heart attack or arrhythmia, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 2.

Claim 41 (original): A method for enhancing the biological activity of a cyclic polyaza chelator having complexing affinity for first transition series elements, said method comprising administering said chelator as a pharmaceutical composition of claim 23.

Claim 42 (original): A method for mitigating ischemia or ischemia-reperfusion injury in a patient, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 23.

Claim 43 (original): A method for providing neuroprotection or cardioprotection in a patient, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 23.

Claim 44 (original): A method for mitigating damage to the central nervous system of a patient suffering from ischemic stroke, seizure or trauma, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 23.

Claim 45 (original): A method for mitigating damage to the heart of a patient suffering a heart attack or arrhythmia, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 23.

Claim 46 (original): A method for enhancing the biological activity of a cyclic polyaza chelator having complexing affinity for first transition series elements, said method comprising administering said chelator as a pharmaceutical composition of claim 25.

Claim 47 (original): A method for mitigating ischemia or ischemia-reperfusion injury in a patient, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 25.

Claim 48 (original): A method for providing neuroprotection or cardioprotection in a patient, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 25.

Claim 49 (original): A method for mitigating damage to the central nervous system of a patient suffering from ischemic stroke, seizure or trauma, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 25.

Claim 50 (original): A method for mitigating damage to the heart of a patient suffering a heart attack or arrhythmia, said method comprising administering to said patient an effective amount of a pharmaceutical composition of claim 25.